

Week 11: Differential Equations and Complex Numbers - Part II

Goals:

- The Complex Exponential Function
- Behaviours of a Spring/Mass System


The Complex Exponential

Previously, we found two interesting relations with exponentials:

- $\frac{d^2x}{dt^2} = -x$ has two forms of solution:
 - $x(t) = \cos(t)$, $x(t) = \sin(t)$ are solutions, and so to are
 - $x(t) = e^{it}$, and $x(t) = e^{-it}$.
- Complex number multiplication can be framed as **addition** of angles. This is also the way multiplication of exponentials works (multiplying is done by adding the exponents).

These relationships can be extended to arrive at the famous and fundamental expression called **Euler's Formula**.

$$e^{i\theta} = \cos(\theta) + i \sin(\theta)$$



Note that means our earlier polar form $r\angle\theta$ notation is equivalent to the exponential form $re^{i\theta}$.

$$r\angle\theta = r e^{i\theta}$$

$$e^{i\theta} = \cos(\theta) + i \sin(\theta)$$

Problem. Write the following complex numbers in the form $re^{i\theta}$.

(a) $z = i$

$$(b) z = 2 - 2i$$

$$(c) z = -7i$$

$$e^{i\theta} = \cos(\theta) + i \sin(\theta)$$

Problem. Consider the complex numbers $z_1 = i$ and $z_2 = -1$.




(a) Compute $z_1 \cdot z_2$ using direct calculation.


(b) Compute $z_1 \cdot z_2$ using polar form.

(c) Compute $z_1 \cdot z_2$ using complex exponentials.

Complex Exponentials and the Spring/Mass System

With our complex exponential in our toolbox now, we return to the spring/mass system. While the mathematics behind this simple system will be very interesting in their own right, we note at the outset that the simple spring/mass model can be applied to a wide variety of not-so-obviously related real-world problems.





$$\underbrace{mx''}_{ma} = \underbrace{-kx}_{F_{\text{spring}}}$$

Problem. Assume that the motion of the mass is described by $x(t) = e^{\lambda t}$, where λ is an unknown constant.

Sub this proposed $x(t)$ form into the $F = ma$ equation above, and solve for λ .

$$mx'' = -kx$$

$$x(t) = e^{\lambda t}$$

Continued.

$$mx'' = -kx \qquad x(t) = e^{\lambda t} \qquad \lambda = \pm i\sqrt{\frac{k}{m}}$$

Use Euler's formula $e^{i\theta} = \cos(\theta) + i\sin(\theta)$ to rewrite both of the $x(t)$ solutions.

$$mx'' = -kx$$

$$x_1(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) + i \sin\left(\sqrt{\frac{k}{m}} t\right)$$

$$x_2(t) = \cos\left(-\sqrt{\frac{k}{m}} t\right) + i \sin\left(-\sqrt{\frac{k}{m}} t\right)$$

Tidy the $x_2(t)$ solution using the fact that


- $\cos(t)$ is symmetric across $t = 0$ (even function), and
- $\sin(t)$ is symmetric through $(0,0)$ (odd function).

Based on k and m , find the period of the oscillations for a spring/mass system.

Real Solutions from Complex Forms

$$x_1(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) + i \sin\left(\sqrt{\frac{k}{m}} t\right)$$

$$x_2(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) - i \sin\left(\sqrt{\frac{k}{m}} t\right)$$



We have a real problem here though. $x(t)$ is supposed to be the position of our mass, and so should only have real values: no i 's allowed in our final answer.

Fortunately, a property you will cover in Linear Algebra will come to our rescue.

If both $x_1(t)$ and $x_2(t)$ are solutions to the equation


$$x'' + cx' + kx = 0,$$

then any linear combination

$$x(t) = z_1 x_1(t) + z_2 x_2(t)$$

is also a solution.


$$x_1(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) + i \sin\left(\sqrt{\frac{k}{m}} t\right)$$
$$x_2(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) - i \sin\left(\sqrt{\frac{k}{m}} t\right)$$



$$x(t) = z_1 x_1(t) + z_2 x_2(t)$$

Problem. Find one choice of z_1 and z_2 that will make $x(t)$ a purely real solution.

$$x_1(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) + i \sin\left(\sqrt{\frac{k}{m}} t\right)$$
$$x_2(t) = \cos\left(\sqrt{\frac{k}{m}} t\right) - i \sin\left(\sqrt{\frac{k}{m}} t\right)$$



$$x(t) = z_1 x_1(t) + z_2 x_2(t)$$

Problem. Find **another** choice of z_1 and z_2 that will make $x(t)$ a purely real solution.

Conclusion: if we find two solutions


$$x_1(t) = e^{ibt} \text{ and } x_2(t) = e^{-ibt} \text{ (complex-valued),}$$

then we can conclude that

$$x_1(t) = \cos(bt) \text{ and } x_2 = \sin(bt) \text{ (purely real)}$$

are also solutions.

Damped Spring/Mass System - Example 1



Problem. Find two solutions, $x_1(t)$ and $x_2(t)$ to this system if

- the mass is $m = 1$ kg, and
- the spring constant is $k = 25$ N/m, and
- the damping coefficient is $c = 6$ N/(m/s).

$$mx'' = -kx - cx'$$



or

$$mx'' + cx' + kx = 0$$

$$1x'' + 6x' + 25x = 0$$


$$1x'' + 6x' + 25x = 0$$

Problem. Sketch your two solutions on the axes below.



Problem. You are given the additional details about the initial conditions of the system:


- $x(0) = 4$, and
- $x'(0) = 0$.



Describe in words what these values mean about the spring system.

Problem.


- $x(0) = 4$, and
- $x'(0) = 0$.



Find the full solution for the position of the mass over time that satisfies these initial conditions.

- $x(0) = 4$, and
- $x'(0) = 0$.

Damped Spring/Mass System - Example 2



$$mx'' = -kx - cx'$$

or



$$mx'' + cx' + kx = 0$$

Problem. Find two solutions, $x_1(t)$ and $x_2(t)$ to this system if

- the mass is $m = 1$ kg, and
- the spring constant is $k = 25$ N/m, and
- the damping coefficient is $c = 15$ N/(m/s).


$$1x'' + 15x' + 25x = 0$$

Problem. Sketch your two solutions on the axes below.



From these examples, we can see that as we move from zero damping to damping so heavy that oscillations can't even happen, the mathematical form of the solutions change. We will investigate this in the general case next.

Damped Spring/Mass System - Patterns of Behaviour



$$mx'' = -kx - cx'$$

or

$$mx'' + cx' + kx = 0$$

↓


Assume $x(t) = e^{\lambda t}$

↓


$$\lambda = \frac{-c \pm \sqrt{c^2 - 4km}}{2m}$$

Damping	$c^2 - 4km$	λ	Description
None $c = 0$			
Light $c^2 < 4km$			
Heavy $c^2 > 4km$			


Problem. Sketch possible solutions for all four spring/mass cases.




Undamped



Damped



Critically Damped



Overdamped

Demonstration - Spring/Mass

We will demonstrate how the solutions to the damped spring/mass DE change as the damping is gradually increased.

$$my'' + cy' + ky = 0$$

In this demonstration, we will use $m = 1$ kg, and $k = 25$ N/m.

$$y'' + cy' + 25y = 0$$

$$r = \frac{-c \pm \sqrt{c^2 - 4(25)(1)}}{2(1)}$$

Problem. What damping level will produce *critical damping* (transition between oscillations and no oscillations in the solution)?

(a) $c = 0$

(b) $c = 5$

(c) $c = 10$

(d) $c = 25$

$$y'' + cy' + 25y = 0$$

What will the form of the solutions be when damping is **below** critical?

What will the form of the solutions be when damping is **above** critical?

During demonstration, try to ask yourself the following questions:

- As damping increases in general, does the **graph** of the solution change gradually or dramatically?


What about the **mathematical form** of the solution?


- Near critical damping specifically, does the **graph** of the solution change gradually or dramatically?

What about the **mathematical form** of the solution?

Applications - Pendulum

Problem. Consider the simple pendulum (mass at the end of a rod) shown below.





If we start from the rotational (torque) version of Newton's Second Law,

$$(\text{moment of inertia}) \cdot (\text{angular accel}) = \sum \text{torques}$$

we obtain

$$(mL^2) \cdot (\theta'') = -mgL \sin(\theta)$$

or, in (almost) standard form:

$$\theta'' + \frac{g}{L} \sin(\theta) = 0$$

Use a well-known approximation from calculus to simplify this to a linear DE:

What limitations does this put on our interpretation of the solution?

Find the general solution to the linearized differential equation

$$\theta'' + \frac{g}{L}\theta = 0$$

for the angular position of the pendulum over time.

$$\theta'' + \frac{g}{L}\theta = 0$$

$$\theta = c_1 \cos \left(\sqrt{\frac{g}{L}} t \right) + c_2 \sin \left(\sqrt{\frac{g}{L}} t \right)$$

Use your solution to predict the period of the oscillations of a pendulum, given g and the length of the rod, L .

Up Next

- APSC 172 Calculus II - Like APSC 171, but with multiple variables.
- APSC 174 Linear Algebra - Vectors, but deeper.
- APSC 112 Physics II - Starts with Harmonic Motion.
- MTHE 224, 225, 231, 235, 237 - Differential Equations.